

# LEANPOST 300 ERGO

## Mobile electric service trolley

### TECHNICAL ADVANTAGES

- The electric service trolley is provided with two telescopic columns that make it possible to raise or lower the bin-holder platform in 17 seconds over a height from 730 mm/28.74 Inch up to 1380 mm/54.33 Inch. The electric cylinders are controlled by a simple control console (raise-lower) or optionally, by a control console that displays the height and stores several positions in memory.
- This ergonomic workshop wagon with aluminium section is easy to use and is light when empty. It is mobile thanks to its 4 caster wheels and is autonomous with its 220 volt rechargeable battery.
- The steel height-adjustable platform which can be tilted manually allows for easy access to components. It is compliant with the European standard dimensions in order to receive 600 x 400 mm bins. This mobile wagon carries bins that can handle a maximum load of 160 kg
- The operator can manually adjust (using the button) or by memorising the position with the console) the height of the ergonomic service trolley.

### ADVANTAGES FOR THE USER

Prevents bending over • Individual adjustment is easy and quick • Better comfort • Reduces MSDs



### TECHNICAL CHARACTERISTIC

Width	750 mm/29.52 Inch
Depth	400 mm/15.74 Inch
Min adjustable height	730 mm/28.74 Inch
Max adjustable height	1380 mm/54.33 Inch
Structure	Grooved anodised aluminium
Base	Painted steel EPOXY RAL 9022
Number of telescopic electrical columns	2
Power supply	Mains or battery (optional)
Battery autonomy	70 movements
Battery charging time	4h30
Supply voltage (V)	120/230
Platform dimensions	650 x 400 mm/25.59 x 15.74 Inch
Platform material	Steel
Platform thickness	2
Number of levels	1
Platform colours	Grey RAL 9022
Floor support	On wheels (Ø 100 mm/3.93 Inch)
Safe working load (kg)	160